

Exam : IBM 000-207

**Title : High End Taps Solutions
Version 5**

Version : Demo

Important Note, Please Read Carefully

Other examsoon products

[All examsoon IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[examsoon Testing Engine](#)

Guarantee

Examsoon provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!.

Features

1. Comprehensive questions with complete details
2. Instant Downloadable in PDF form.
3. Verified Answers Researched by Industry Experts
4. Questions accompanied by exhibits
5. Drag and Drop questions as experienced in the Actual Exams.
6. These questions and answers are backed by our GUARANTEE.
7. Questions updated on regular basis.
8. Like actual certification exams our product is in multiple-choice questions (MCQs).

1. Which construct is used to select the media type for the IBM System Storage TS7700 Virtualization Engine allocations?

- A. Data Class
- B. Storage Class
- C. Storage Group
- D. Management Class

Answer: A

2. Your customer purchased an IBM TS3500 Tape Library and 3953 Library Manager. You need to provide the customer with the detailed worksheets to complete for the installation. In which resource do you find these worksheets?

- A. 3953 Tape System SAPR Guide
- B. 3953 Introduction and Planning Guide
- C. TS3500 Introduction and Planning Guide
- D. IBM TS3500 Tape Library with System z Attachment Guide

Answer: A

3. A customer wants to connect two libraries to a single modem. Which feature is required to accomplish this?

- A. Remote Support Switch
- B. Remote Support Facility
- C. Remote Support Manager
- D. Remote Console Facility

Answer: A

4. What is used to identify LTO Ultrium 3 WORM-capable drives?

- A. serial number of the drive
- B. logo at the front of the drive
- C. label on the back of the drive
- D. level of code the drive contains

Answer: D

5. A customer is adding a TS3500 Tape Library to an existing tape environment. Which statement is true about the necessity of a Systems Assurance Product Review in this situation?

- A. A Systems Assurance Product Review must be performed before installation, providing it is the first TS3500 the customer installs
- B. A Systems Assurance Product Review must be performed before installation, providing it is indicated in the SAPR trigger criteria.
- C. It is not necessary to perform a Systems Assurance Product Review before installation, providing the customer already has a TS3500.
- D. It is not necessary to perform a Systems Assurance Product Review before installation, providing the customer's management approves it.

Answer: B

6. A customer using a TS3500 Tape Library wants to add a z/OS application to his tape environment. What is the best resource to find the supported TS3500 firmware level?

- A. FTS specialist
- B. z/OS Support Web site
- C. TS3500 Support Web site
- D. Tape Library Specialist Web interface

Answer: C

7. When can piping, sensors, and cabling be run from frame to frame in an IBM System Storage TS3500 Tape Library?

- A. when there is an RPQ to support this configuration
- B. when there is a fire sprinkler system in the data center
- C. when they are placed as prescribed by the Library Planning Guide
- D. when they are within a shielded waterproof conduit in the data center

Answer: C

8. When migrating workload from a 3592-J1A to an IBM TS1120 in a z/OS environment, what must be checked for device support?

- A. DFSMSHsm and EREP only
- B. DFSMSHsm and DFSMSdss only
- C. DFSMSHsm, DFSMSdss and EREP
- D. DFSMSHsm, DFSMSdss and ICKDSF

Answer: C

9. What will NOT prevent an existing B20 VTS from being directly upgraded to an IBM TS7700 Virtualization Engine?

- A. The B20 only has 3592 family back-end drives.
- B. The B20 has 3590 cartridges in its inventory.
- C. The B20 only has 3590 family back-end tape drives.
- D. The B20 has both 3590 and 3592 family back-end drives.

Answer: A

10. Which software component is necessary to update the Tape Configuration Database in a system-managed tape environment?

- A. ACS routines
- B. Library Manager
- C. Object Access Method
- D. Basic Tape Library Support

Answer: C

11. What should be done to validate a newly installed IBM System Storage TS3500 Tape Library?

- A. check with the IBM SSR to ensure that everything was done correctly
- B. verify that the client has all the SMS and library definitions correctly specified
- C. run a set of test cases that exercise the various components of the library and host attachment
- D. check the installation documentation that the IBM SSR used to verify that the SSR marked completion of each task

Answer: C

12. What is the most complete source of information for power, cooling, and floor space requirements for IBM tape products?

- A. Redbook
- B. Sales Manual
- C. Product Brochure
- D. Introduction and Planning Guide

Answer: D

13. A customer installed an IBM Systems Storage TS3500 Tape Library with native IBM TS1120 Tape Drives, and an IBM TS7700 Virtualization Engine with four drives. What should be done to increase scratch mount performance?

- A. define Fast Ready categories
- B. define an Inhibit Reclaim Schedule
- C. define Logical Volume Expiration Time
- D. increase the number of defined logical volumes

Answer: A

14. A customer is considering installing IBM TS1120 Tape Drives attached to a single IBM 3592-C06 Tape Controller in their IBM TS3500 Tape Library. The TS1120 Tape Drives will connect to the z/OS hosts with two FICON Express channels. What is the MINIMUM number of TS1120 Tape Drives that, when writing uncompressed data, can fully utilize the channel bandwidth?

- A. 2
- B. 4
- C. 6
- D. 8

Answer: B

15. The IBM TS7700 Virtual Tape Server is experiencing performance problems during certain time periods.

The customer has determined that the compression ratio during these periods is less than 2:1. What is the most likely cause of the poor compression ratio?

- A. The data sets are too small.
- B. The block sizes are too small.
- C. The tape volume cache is full.
- D. The segments are compressed individually.

Answer: D

16. A customer has an IBM TotalStorage VTS Model B20 with maximum cache, four FICON channels, and eight IBM 3592 drives installed. While overall performance is excellent, it degrades significantly during the later stages of batch processing when tape output peaks. It has been determined that the bandwidth requirement during this time exceeds the peak data rate of the VTS. Which upgrade is most likely to resolve this problem?

- A. add four IBM 3592 Tape Drives
- B. add four FICON channels to the VTS
- C. replace IBM 3592 Tape Drives with IBM TS1120 Tape Drives
- D. replace and migrate the VTS with an IBM TS7700 Virtualization Engine

Answer: D

17. What is a symptom of IBM TS7700 Virtualization Engine throttling?

- A. high RMF pend time
- B. high channel utilization
- C. increased job elapsed time
- D. increased physical mount time

Answer: C

18. A System z customer has installed a new TS3500 Tape Library and wants to integrate it into the existing Tivoli Storage Manager environment. Which resource provides the most comprehensive information about implementing this solution?

- A. www.ibm.com/tivoli

- B. www.ibm.com/partnerworld
- C. www.redbooks.ibm.com/storage
- D. www.ibm.com/systems/education

Answer: C

19. Which IBM tape interface architecture has the best performance and distance characteristics?

- A. SCSI
- B. ESCON
- C. FireWire
- D. Fibre Channel

Answer: D

20. A client wants to establish a long-term archiving solution, using the IBM DR550 starting with a one frame TS3500 Tape Library. What is the most important factor limiting the ability to scale the storage capacity?

- A. the maximum capacity of the TS3500 Tape Library
- B. the processing power of the built-in System p controller
- C. the size limitation of the Tivoli Storage Manager database
- D. the number of disk expansion units that can be attached to the disk controller

Answer: A

Examsoon.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially [Adobe](#), [Apple](#), [Citrix](#), [Comptia](#), [EMC](#), [HP](#), [Juniper](#), [LPI](#), [Nortel](#), [Oracle](#), [SUN](#), [Vmware](#) and so on. And help you pass any IT Certification exams at the first try.

we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

You can reach us at any of the email addresses listed below.

E-MAIL: [examsoon\(at\)hotmail.Com](mailto:examsoon(at)hotmail.Com)