

**Exam : CIW 1D0-442**

**Title : CIW ENTERPRISE  
SPECIALIST**

**Version : Demo**

## Important Note, Please Read Carefully

### Other examsoon products

[All examsoon IT Exam Products](#)

### Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[examsoon Testing Engine](#)

### Guarantee

Examsoon provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!.

### Features

1. Comprehensive questions with complete details
2. Instant Downloadable in PDF form.
3. Verified Answers Researched by Industry Experts
4. Questions accompanied by exhibits
5. Drag and Drop questions as experienced in the Actual Exams.
6. These questions and answers are backed by our GUARANTEE.
7. Questions updated on regular basis.
8. Like actual certification exams our product is in multiple-choice questions (MCQs).

1. An entity beans class contains the following method signature:

```
public Integer ejbCreate (int partNum, String partDescription,  
float partCost, String partSupplier) throws CreateException
```

Which statement is true of the beans ejbCreate() method?

- A. An ejbPostCreate() method with the same number and types of parameters must be present in the beans remote interface.
- B. An ejbPostCreate() method with the same method signature must be present in the beans home interface.
- C. An ejbPostCreate() method with the same number and types of parameters must be present in the beans class.
- D. An ejbPostCreate() method with the same method signature must be present in the beans class.

**Answer: C**

2. Which choice defines the term isolation when used to describe the properties of a transaction?

- A. Isolation guarantees that a transaction will either result in a new valid system, or the system will be restored to its original state.
- B. Isolation guarantees that a committed transaction will persist despite any type of system failure.
- C. Isolation guarantees that logically related operations are dealt with as a single unit.
- D. Isolation guarantees that transactions running at the same time will not have access to each others partial results.

**Answer: D**

3. An EJB client invokes a create() method. An EJB container instantiates an enterprise bean as the result of this method call. The bean is then held in a pool awaiting a method invocation. To which type of enterprise bean does this process refer?

- A. BMP entity bean
- B. CMP entity bean
- C. Stateless session bean
- D. Stateful session bean

**Answer: C**

4. A finder method in an entity bean is written to find more than one primary key. Which statement correctly describes the invocation of this type of ejbFind...() method?

- A. When a client calls a multiple row finder method, the home object allocates a bean instance and invokes the corresponding ejbFind...() method. The home object instantiates a remote object for each primary key, with a collection of remote references returned to the client.
- B. When a client calls a multiple row finder method, the home object allocates a bean instance and invokes the corresponding ejbFind...() method. The home object instantiates a collection of remote objects for each

primary key, with individual remote references returned to the client.

C. When a client calls a multiple row finder method, the remote object invokes the corresponding `ejbFind...()` method. The remote object then returns a collection of remote references to the client.

D. When a client calls a multiple row finder method, the home object allocates a bean instance and invokes the corresponding `ejbFind...()` method. The home object instantiates a collection of primary key references and returns them to the client.

**Answer: A**

5. The `ejbRemove()` method for an enterprise bean contains the following line of code:

```
prepStmt = dbConn.prepareStatement ("DELETE  
FROM MyTable  
WHERE MyKey = ?");
```

What type of enterprise bean might this be?

- A. Stateful session bean
- B. BMP entity bean
- C. CMP entity bean
- D. Stateless session bean

**Answer: ABD**

6. Which statement correctly describes CMP entity beans and finder methods?

- A. The beans class should contain empty `ejbFind()` methods with corresponding `find()` methods defined in the remote interface.
- B. The beans class should not contain `ejbFind()` methods; empty `find()` methods are defined in the home interface.
- C. The beans class should not contain `ejbFind()` methods; empty `find()` methods are defined in the remote interface.
- D. The beans class should contain empty `ejbFind()` methods with corresponding `find()` methods defined in the home interface.

**Answer: B**

7. Which client application could benefit from the use of a callback object?

- A. A Java Micro Edition application that notifies the user of a hand-held computer when traffic conditions have improved along a given freeway
- B. A Java applet that allows users to send an e-mail message to the quality control department
- C. A Java application used by police officers in the field to retrieve vehicle registration information from a remote database by supplying a complete or partial license plate number
- D. A Java applet that retrieves a map image when given a street address

**Answer: A**

8. Which statement correctly describes the EJBContext interface?

- A. The EJBContext interface defines methods that allow clients to find, create and remove enterprise beans.
- B. The EJBContext interface defines methods that allow clients to ascertain information about run-time status for enterprise beans.
- C. The EJBContext interface defines methods that allow clients to obtain metadata for enterprise beans.
- D. The EJBContext interface defines methods that allow clients to obtain network references to enterprise beans.

**Answer: B**

9. Which type of factory object returns references to objects that reside within the same process as the factory object?

- A. Out-process
- B. Generic
- C. Specific
- D. In-process

**Answer: D**

10. Which statement correctly describes the EJBHome interface?

- A. The EJBHome interface is extended by all home interfaces, which provide methods to create, find and remove enterprise beans.
- B. The EJBHome interface is extended by all home interfaces, which provide a clients view of an enterprise bean.
- C. The EJBHome interface is extended by all home interfaces and is the common superinterface for the SessionBean and EntityBean interfaces.
- D. The EJBHome interface is extended by all home interfaces, which the container uses to inform enterprise beans about life cycle events.

**Answer: A**

11. Consider the following IDL definition:

```
1. module Stocks
2. {
3.     interface Stock
4.     {
5.         string symbol;
6.         float price;
7.     };
8.
9.     interface StockFactory
10.    {
11.        exception SymbolNotFound { };
12.
13.        Stock getStock(in string symbol) raises(SymbolNotFound);
14.    };
15. };
```

Which statement correctly describes this IDL definition?

- A. The IDL definition properly defines a factory object that may be used to obtain a reference to a Stock object.
- B. The IDL definition cannot be compiled due to an error at line 13.
- C. The IDL definition cannot be compiled due to an error at line 5.
- D. The IDL definition cannot be compiled due to an error at line 11.

**Answer: A**

12. You are using container-managed transactions for your entity bean. Which choice lists the methods that must have transaction attributes defined?

A. Remote interface: all business methods and the remove() method.

Home interface: all finder methods.

B. Remote interface: all business methods.

Home interface: the two remove() methods and all finder methods.

C. Remote interface: all business methods and the remove() method.

Home interface: all finder methods, the create() method, and the two remove() methods.

D. Remote interface: the remove() method.

Home Interface: the create() method and the remove() method.

**Answer: C**

13. What is the purpose of the InitialContext constructor?

A. To acquire a default JNDI context

B. To construct a database connection

C. To access a beans remote interface

D. To obtain a starting point into a servers namespace

**Answer: AD**

14. When and by what is the ejbLoad() method invoked?

- A. The `ejbLoad()` method is invoked by the container just after the `ejbActivate()` method.
- B. The `ejbLoad()` method is invoked by the client just prior to the `ejbActivate()` method.
- C. The `ejbLoad()` method is invoked by the client just after the `ejbActivate()` method.
- D. The `ejbLoad()` method is invoked by the container just prior to the `ejbActivate()` method.

**Answer: A**

15. Which parameter-passing modes result in the marshalling of data from the server on its way to the client?

- A. in
- B. outin
- C. out
- D. inout

**Answer: CD**

16. Consider the following IDL definition:

```
module airtraffic
{
    struct RadarInfo
    {
        string callSign;
        long speed;
        long heading;
    }

    interface Aircraft
    {
        setLocation(out RadarInfo ri);
    }
}
```

You want to use this IDL definition to allow clients to update the location of an aircraft by passing an instance of Radar Info to the remote method.

Which statement is true of your design?

- A. The remote method will not be able to extract information from parameter `ri` because it is defined as an out parameter.
- B. The IDL definition allows an instance of Radar Info to be passed to the server-side implementation.
- C. The remote method will not be able to extract information from parameter `ri` because it is a struct type.
- D. Instances of Radar Info may be published to the naming service and accessed remotely.

**Answer: A**

17. The IDL type `unsigned long long` maps to which Java primitive data type?

- A. double
- B. short
- C. long

D. int

**Answer: C**

18. The IDL type unsigned short maps to which Java primitive data type?

A. byte

B. long

C. int

D. short

**Answer: D**

19. A business method is being invoked on an entity bean. The entity bean has been instantiated, but has been placed in the entity bean pool by the container due to inactivity. Based on this scenario, consider the following steps:

1.The home object calls the ejbLoad() method.

2.The EJB object sends the business method invocation to the entity bean.

3.The EJB object notifies the container that an entity bean instance is required.

4.The entity bean uses the primary key obtained from the EJB object to populate its fields.

In which order will these steps occur?

A. 3, 1, 2, 4

B. 3, 1, 4, 2

C. 2, 3, 4, 1

D. 2, 3, 1, 4

**Answer: B**

20. Consider the following Java code fragment:

```
NamingContext ncRef =
    NamingContextHelper.narrow
        (orb.resolve_initial_references("NameService"));

nameComponent [] path = {
    new NameComponent("B", ""),
    new NameComponent("A", "")
};

org.omg.CORBA.Object o = ncRef.resolve(path);
```

What is the purpose of this code fragment?

A. The code fragment attempts to extract an object reference named A maintained within a naming context named B.

B. The code fragment attempts to extract an object reference named B maintained within a naming context named A.

C. The code fragment attempts to extract an object reference A of data type B.

D. The code fragment attempts to extract an object reference B of data type A.

**Answer:** A

Examsoon.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially [Adobe](#), [Apple](#), [Citrix](#), [Comptia](#), [EMC](#), [HP](#), [Juniper](#), [LPI](#), [Nortel](#), [Oracle](#), [SUN](#), [Vmware](#) and so on. And help you pass any IT Certification exams at the first try.

we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

You can reach us at any of the email addresses listed below.

E-MAIL: [examsoon\(at\)hotmail.Com](mailto:examsoon(at)hotmail.Com)