

Exam : Oracle 1Z0-144

**Title : Oracle Database 11g:
Program with PL/SQL**

Version : Demo

1. What are the two subtypes of the IF conditional statement in PL/SQL?

- A. if-then-endif and if-then-else
- B. if-then-else and if-then-elseif
- C. if-then-else and if-then-elseif-endif
- D. if-then-else and if-then-elseif-then-else

Answer: D

2. What are the two variables supported by PL/SQL?

- A. Explicit and implicit variables
- B. Scalar and composite variables
- C. Primary and default variables
- D. Scalar and user-defined variables

Answer: B

3. Oracle supports all of the following types of collections except for which one?

- A. VARRAYS
- B. Nested array
- C. Nested table
- D. Associative array

Answer: B

4. Which of the following identifiers can include any printable characters, including spaces?

- A. Quoted identifiers
- B. Predefined identifiers
- C. Valid identifiers
- D. Invalid identifiers

Answer: A

5. Which of the following types of message output contains a chronological log of errors, initialization parameter settings, and administration operations, and also records values for overwritten control file

records?

- A. RMAN messages
- B. alert_SID.log
- C. sbtio.log
- D. Oracle trace file

Answer: B

6. Which of the following statements is used to insert, update, or delete bulk data?

- A. FOR Loop statement
- B. BULK COLLECT INTO statement
- C. BULK statement
- D. FORALL statement

Answer: D

7. Which of the following exceptions is raised when a user tries to divide a number by zero?

- A. VALUE_ERROR
- B. OUT_OF_RANGE
- C. ZERO_DIVIDE
- D. SELF_IS_NULL

Answer: C

8. All of the following can be the causes of raising an exception except for which one?

- A. A throw statement has executed.
- B. An asynchronous exception has occurred.
- C. An abnormal execution condition has been synchronously detected.
- D. A catch statement has executed.

Answer: D

9. Which of the following built-in packages supports dynamic SQL?

- A. DBMS_SQL

- B. DBMS_SCHEDULER
- C. DBMS_MONITOR
- D. DBMS_CCRYPTO

Answer: A

10. From which of the following programming languages are the features of PL/SQL programming fetched?

- A. C++ programming
- B. Java programming
- C. C programming
- D. Ada programming

Answer: D

11. Which of the following is ideal for querying a database table or view?

- A. Range FOR Loop statement
- B. Cursor FOR Loop statement
- C. While Loop statement
- D. Simple Loop statement

Answer: B

12. Which of the following errors maps to the INVALID_CURSOR predefined exception in PL/SQL?

- A. ORA-10100
- B. ORA-10001
- C. ORA-01000
- D. ORA-01001

Answer: D

13. Which of the following is a sequentially control statement?

- A. GOTO
- B. LOOP

C. EXIT

D. CASE

Answer: A

14. Which of the following cannot be created and stored in the database?

A. NESTED TABLE

B. VARRAY

C. RECORD

D. ASSOCIATIVE ARRAY

Answer: C

15. In which of the following naming methods are the connect identifiers stored in a localized configuration file named tnsnames.ora?

A. Oracle Names

B. Directory naming

C. Local naming

D. External naming

E. Host naming

Answer: C