

Exam : Polycom 1K0-001

Title : Polycom Cve Core Exam

Version : Demo

Important Note, Please Read Carefully

Other examsoon products

[All examsoon IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[examsoon Testing Engine](#)

Guarantee

Examsoon provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!.

Features

1. Comprehensive questions with complete details
2. Instant Downloadable in PDF form.
3. Verified Answers Researched by Industry Experts
4. Questions accompanied by exhibits
5. Drag and Drop questions as experienced in the Actual Exams.
6. These questions and answers are backed by our GUARANTEE.
7. Questions updated on regular basis.
8. Like actual certification exams our product is in multiple-choice questions (MCQs).

1. The Bandwidth on Demand Interoperability Group created four modes for standardized Inverse Multiplexing. Which mode is best compatible with H.320/221 Video Conferencing?

- A. Mode 1
- B. Mode 2
- C. Mode 3
- D. Mode 4

Answer: A

2. What allows the detection of audio distortion?

- A. Audible sound quality
- B. Measured audio signal level
- C. Measured background noise level
- D. Digital signal processor clock level

Answer: AB

3. Encryption security of Video and Audio will be used to make

- A. only the packet headers unreadable
- B. only the first packet header unreadable
- C. only the packet payload unreadable
- D. None of the above

Answer: C

4. Which of the following describe video dynamics as processed through a videoconference system?

- A. Cameras react to light the same as one's eye and video monitors accurately render the video information so what one sees by eye is what the far-end sees.
- B. Cameras have limits to the range of light levels which can be accommodated and tend to process the darker regions further toward black than what one's eye sees.
- C. Codecs have the same limits as cameras and therefore will not change the perceived qualities of the video as rendered by the cameras.
- D. Codecs have more restrictive limits than cameras, and the best way to accurately assess the video quality sent to the far-end is to view a video scene fully coded and then decoded.

Answer: BD

5. Which of the following video display resolutions are true 16:9 Aspect Ratio?

- A. 1920X1080
- B. 1024X768
- C. 1280X720
- D. 720X480

Answer: AC

6. E1 framing has a bit structure of how many bits per frame?

Clue Full metallic E1 speed divided by 8KHz Stratum timing.

- A. 200
- B. 240
- C. 256
- D. 300

Answer: C

7. A popular way to select a Gateway is by using a

- A. Gateway SPID values registered on a Gatekeeper for ISDN to IP.
- B. Gateway Prefix values registered on a Gatekeeper for IP to ISDN.
- C. Direct In Dial Numbers of ISDN to IP with or without a Gatekeeper.
- D. Set of numbers that point to the TEI of the D-Channel.
- E. A and B
- F. B and C
- G. C and D

Answer: F

8. Quarter Common Intermediate Format has

- A. twice the resolution of CIF.
- B. half the number of lines of 4CIF.
- C. four times more resolution than CIF.
- D. None of the above

Answer: D

9. To setup a Videoconferencing system to be capable of ISDN speeds up to 512 kilobits per second, which of the following is required? (Select three of the following options.)

- A. 3 TE-2
- B. 4 NT-1
- C. 4 TE-2
- D. 1 IMUX with 3 BRI line support
- E. 1 IMUX with 4 BRI line support
- F. 3 BRI lines
- G. 3 NT-1
- H. 6 BRI lines
- I. 4 BRI lines

Answer: BEI

10. H.241 is best described as a standard that unifies

- A. Audio Coding for H.300 Series.
- B. Framing for H.300 Series.
- C. Video Conference Coding for H.300 Series.
- D. all Operations for H.300 Series.
- E. Video Procedures and Control Signals for H.300 Series.

Answer: E

11. H.323 Media Gateways require H.323 Terminals, which wish to make calls through the Gateway to ISDN sites, to

- A. perform a test with the other H.323 Terminals first.
- B. be registered with the MCU first.
- C. be registered with the Gatekeeper first.
- D. call the Network administrator first.
- E. be using a Gateway Prefix registered on an Active Gatekeeper.
- F. be using a Gatekeeper Prefix defined on the End Point.

Answer: E

12. True or False?

H.323 / H.225 / H.245 ITU-T Standards describe that Audio and Video are always multiplexed together in the same packets for In-Bound and Out-bound.

- A. True
- B. false

Answer: B

13. Which of the following refers to Line coding used with the 2-wire, U reference of a Basic Rate Interface?

- A. BRTZ-AMI
- B. HDB3
- C. 2B1Q

Answer: C

14. What effect will an oscillating fan that is visible in the background have on the overall video quality?

- A. No effect
- B. Shadows
- C. Video switching
- D. Lower frame rate

Answer: D

15. Gatekeeper messages for registration and admission that are successful will always have the Generic structure as:

(Note - "XX" - is a variable value that represents specific Gatekeeper names)

- A. RequestXX, ReplyXX
- B. RequestXX, DenyXXC
- C. XXRequest, XXReply
- D. XXRequest, XXConfirm
- E. XXRequest, XXAcknowledged

Answer: D

16. What term is used for video display resolution of H.264 Video Coding used for Visual Telephony?

- A. Standard Intermediate Format
- B. Standard Systems Committee
- C. Standard Optics
- D. Standardized Network Management Parameters

Answer: A

17. Which two types of Networks are capable of providing consistent, guaranteed QoS Constant Bit Rate Transport with a steady reliable clock source?

- A. ISDN D-Channel
- B. ISDN Circuit Switched Voice
- C. ISDN Circuit Switched Data
- D. X.25 / X.75 Packet Switching
- E. ATM CBR-AAL0 Service
- F. Public Virtual Private Network

Answer: CE

18. H.323 Videoconferencing connections over the IP Packet Network to allow Video, Audio, Content to transport are called what?

- A. UTP Streams
- B. LAN Streams
- C. RTP Streams
- D. TCP Streams
- E. HTTP Streams

Answer: C

19. S-Video Connections are typically designed with what type of connectors?

- A. 4-Pin Mini-DIN
- B. RCA
- C. Banana plug
- D. Jones strip

E. Phoenix

Answer: A

20. G.722 Audio over IP using the H.323 Standard must be transmitted as packets that are_____

- A. unframed at random intervals.
- B. framed using 802.3 and are sent at random intervals.
- C. framed using 802.3 and are sent at 140 millisecond intervals.
- D. framed using 802.3 and are sent at 10 millisecond intervals.
- E. framed using 802.3 and are sent at 60 millisecond intervals.

Answer: E

Examsoon.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially [Adobe](#), [Apple](#), [Citrix](#), [Comptia](#), [EMC](#), [HP](#), [Juniper](#), [LPI](#), [Nortel](#), [Oracle](#), [SUN](#), [Vmware](#) and so on. And help you pass any IT Certification exams at the first try.

we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

You can reach us at any of the email addresses listed below.

E-MAIL: [examsoon\(at\)hotmail.Com](mailto:examsoon(at)hotmail.Com)