

**Exam : Oracle 1Z0-001**

**Title : INTRODUCTION TO ORACLE:  
SQL AND PL/SQL**

**Version : Demo**

## Important Note, Please Read Carefully

### Other examsoon products

[All examsoon IT Exam Products](#)

### Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[examsoon Testing Engine](#)

### Guarantee

Examsoon provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!.

### Features

1. Comprehensive questions with complete details
2. Instant Downloadable in PDF form.
3. Verified Answers Researched by Industry Experts
4. Questions accompanied by exhibits
5. Drag and Drop questions as experienced in the Actual Exams.
6. These questions and answers are backed by our GUARANTEE.
7. Questions updated on regular basis.
8. Like actual certification exams our product is in multiple-choice questions (MCQs).

1. Click on the EXHIBIT button and examine the table instance chart for the cars table.

Which SELECT statement will display style, color, and lot number for all cars based on the model entered at the prompt, regardless of case?

Cars					
Column Name	ID	MODEL	STYLE	COLOR	LOT_NO
Key Type	PK				FK
Nulls/Unique	NN, U	NN	NN	NN	NN
FK Table					LOT
FK Column					LOT_NO
Datatype	NUM	CHAR	CHAR	CHAR	NUM
Length	9	25	25	25	3

A. SELECT style, color, lot\_no

FROM cars

WHERE model = UPPER('&model');

B. SELECT style, color, lot\_no

FROM cars

WHERE model = '&model';

C. SELECT style, color, lot\_no

FROM cars

WHERE UPPER(model) = UPPER('&model');

D. SELECT style, color, lot\_no

FROM cars

WHERE UPPER(model) = '&model';

**Answer: C**

2. Click on the EXHIBIT button and examine the table instance chart for the patient table.

You need to create the patient\_id\_seq sequence to be used with the patient table's primary key column. The sequence should begin at 1000, have a maximum value of 999999999, never reuse any numbers, and increment by 1.

Which statement would you use to complete this task?

**PATIENT**

Column Name	id_number	last_name	first_name	birth_date	doctor_id
Key Type	PK				
Nulls/Unique	NN,U	NN	NN		
FK Table					DOCTOR
FK Column					ID_NUMBER
Datatype	NUM	VARCHAR2	VARCHAR2	DATE	NUM
Length	10	25	25		10

- A. CREATE SEQUENCE patient\_id\_seq  
START WITH 1000  
MAXVALUE 999999999  
NOCYCLE;
- B. CREATE SEQUENCE patient\_id\_seq  
START WITH 1000  
MAXVALUE 999999999  
STEP BY 1;
- C. CREATE SEQUENCE patient\_id\_seq  
ON patient (patient\_id)  
MINVALUE 1000  
MAXVALUE 999999999  
INCREMENT BY 1  
NOCYCLE;
- D. This task cannot be accomplished.

**Answer: A**

3. You issue this command:

```
CREATE SYNONYM emp  
FOR ed.employee;
```

Which task has been accomplished?

- A. The need to qualify an object name with its schema was eliminated for user Ed.  
B. The need to qualify an object name with its schema was eliminated for only you.  
C. The need to qualify an object name with its schema was eliminated for all users.  
D. The need to qualify an object name with its schema was eliminated for users with access.


**Answer: B**

4. Click on the EXHIBIT button and examine the structure of the DEPARTMENT and EMPLOYEE tables.

Evaluate this SQL statement:

```
CREATE INDEX      emp_dept_id_idx
ON      employee(dept_id);
```

Which result will the statement provide?



- A. Store an index in the EMPLOYEE table.
- B. Increase the chance of full table scans.
- C. May reduce the amount of disk I/O for SELECT statements.
- D. May reduce the amount of disk I/O for INSERT statements.
- E. Override the unique index created when the FK relationship was defined.

**Answer: C**

5. Which should you do after each FETCH statement in a PL/SQL block?

- A. Open the cursor.
- B. Close the cursor.
- C. Initialize the loop.
- D. Test for rows using a cursor attribute.

**Answer: D**

6. Given this executable section of a PL/SQL block:

```
BEGIN
    FOR employee_record IN salary_cursor LOOP
        employee_id_table(employee_id) :=
            employee_record.last_name;
    END LOOP;
    CLOSE salary_cursor;
END;
```

Why does this section cause an error?

- A. The cursor needs to be opened.
- B. No FETCH statements were issued.
- C. Terminating conditions are missing.
- D. The cursor does not need to be closed.

**Answer: D**

7. The structure of the DEPT table is as follows:

Name	Null?	Type
DEPTNO	NOT NULL	NUMBER(2)
DNAME		VARCHAR2(14)
LOC		VARCHAR2(13)

Examine the code:

```
DECLARE
    TYPE dept_record_type IS RECORD
        (dno NUMBER,
         name VARCHAR2(20));
    dept_rec dept_record_type;
BEGIN
    SELECT deptno, dname
        INTO dept_rec
        FROM dept
        WHERE deptno = 10;
END;
```

Which statement displays the name of the selected department?

- A. DBMS\_OUTPUT.PUT\_LINE(name);
- B. DBMS\_OUTPUT.PUT\_LINE(dname);
- C. DBMS\_OUTPUT.PUT\_LINE(dept\_rec.name);
- D. DBMS\_OUTPUT.PUT\_LINE(dept\_rec.dname);
- E. DBMS\_OUTPUT.PUT\_LINE(dept\_rec(name));

**Answer: C**

8. The EMPLOYEE table contains these columns:

BONUSNUMBER(7,2)	
DEPT_ID	NUMBER(9)

There are 10 departments and each department has at least 1 employee. Bonus values are greater than 500; not all employees receive a bonus.

Evaluate this PL/SQL block:

```
DECLARE
    v_bonusemployee.bonus%TYPE := 300;
BEGIN
```

```
UPDATE employee
SET      bonus = bonus + v_bonus
WHERE   dept_id IN (10, 20, 30);
COMMIT;

END;
```

What will be the result?

- A. All employees will be given a 300 bonus.
- B. A subset of employees will be given a 300 bonus.
- C. All employees will be given a 300 increase in bonus.
- D. A subset of employees will be given a 300 increase in bonus.

**Answer: D**

9. Evaluate this IF statement:

```
IF v_value > 100 THEN
    v_new_value := 2 * v_value;
ELSIF v_value > 200 THEN
    v_new_value := 3 * v_value;
ELSIF v_value < 300 THEN
    v_new_value := 4 * v_value;
ELSE
    v_new_value := 5 * v_value;
END IF;
```

What would be assigned to V\_NEW\_VALUE if V\_VALUE is 250?

- A. 250
- B. 500
- C. 750
- D. 1000
- E. 1250

**Answer: B**

10. Which ALTER command would you use to reinstate a disabled primary key constraint?

- A. ALTER TABLE cars  
ENABLE PRIMARY KEY (id);
- B. ALTER TABLE cars  
ENABLE CONSTRAINT cars\_id\_pk;
- C. ALTER TABLE cars  
ENABLE PRIMARY KEY (id) CASCADE;

D. ALTER TABLE cars

```
ADD CONSTRAINT cars_id_pk PRIMARY KEY (id);
```

**Answer: B**

11. You need to perform a major update on the EMPLOYEE table. You have decided to disable the PRIMARY KEY constraint on the empid column and the CHECK constraint on the job column.

What happens when you try to enable the constraints after the update is completed?

A. You need to recreate the constraints once they are disabled.

B. Any existing rows that do not confirm with the constraints are automatically deleted.

C. Only the future values are verified to confirm with the constraints, leaving the existing values unchecked.

D. The indexes on both the columns with the PRIMARY KEY constraint and the CHECK constraint are automatically re-created.

E. All the existing column values are verified to confirm with the constraints and an error message is generated if any existing values do not confirm.

**Answer: E**

12. Which statement is valid within the executable section of a PL/SQL block?

A. BEGIN

```
emp_rec emp%ROWTYPE;
```

```
END;
```

B. WHEN NO\_DATA\_FOUND THEN

```
DBMS_OUTPUT.PUT_LINE ('No records found');
```

C. SELECT ename, sal

```
INTO v_ename, v_sal
```

```
FROM emp
```

```
WHERE empno = 101;
```

D. PROCEDURE calc\_max (n1 NUMBER,n2 NUMBER,p\_max OUT NUMBER) IS

```
BEGIN
```

```
IF n1 > n2 THEN
```

```
p_max := n1;
```

```
ELSE
```

```
p_max := n2;
```

```
END;
```

**Answer: C**

13. Examine this block of code:

```
SET SERVEROUTPUT ON
```

```
DECLARE
```

```
x NUMBER;
v_sal NUMBER;
v_found VARCHAR2(10) := 'TRUE';
BEGIN
  x := 1;
  v_sal := 1000;
  DECLARE
    v_found VARCHAR2(10);
    y      NUMBER;
  BEGIN
    IF (v_sal > 500) THEN
      v_found := 'YES';
    END IF;
    DBMS_OUTPUT.PUT_LINE ('Value of v_found is '|| v_found);
    DBMS_OUTPUT.PUT_LINE ('Value of v_sal is '|| v_sal);
    y := 20;
  END;
  DBMS_OUTPUT.PUT_LINE ('Value of v_found is '|| v_found);
  DBMS_OUTPUT.PUT_LINE ('Value of Y is '|| TO_CHAR(y));
END;
SET SERVEROUTPUT OFF
```

What is the result of executing this block of code?

A. PLS-00201: identifier 'Y' must be declared

B. Value of v\_found is YES

Value of v\_sal is 1000

Value of v\_found is TRUE

C. Value of v\_found is YES

Value of v\_sal is 1000

Value of v\_found is YES

Value of Y is 20

D. PLS-00201: identifier 'v\_sal' must be declared

PLS-00201: identifier 'Y' must be declared

E. Value of v\_found is YES

Value of v\_sal is 1000

Value of v\_found is TRUE

Value of Y is 20

**Answer: A**

14. Examine this block of code:

```
SET SERVEROUTPUT ON
DECLARE
  x NUMBER;
  v_sal NUMBER;
  v_found VARCHAR2(10) := 'TRUE';
BEGIN
  x := 1;
  v_sal := 1000;
  DECLARE
    v_found VARCHAR2(10);
    y      NUMBER;
  BEGIN
    IF (v_sal > 500) THEN
      v_found := 'YES';
    END IF;
    DBMS_OUTPUT.PUT_LINE ('Value of v_found is '|| v_found);
    DBMS_OUTPUT.PUT_LINE ('Value of v_sal is '|| v_sal);
    y := 20;
  END;
  DBMS_OUTPUT.PUT_LINE ('Value of v_found is '|| v_found);
  DBMS_OUTPUT.PUT_LINE ('Value of Y is '|| TO_CHAR(y));
END;
SET SERVEROUTPUT OFF
```

Why does this code produce an error when executed?

- A. The value of V\_FOUND cannot be 'YES'.
- B. Variable V\_FOUND is declared at more than one location.
- C. Variable Y is declared in the inner block and referenced in the outer block.
- D. Variable V\_SAL is declared in the outer block and referenced in the inner block.

**Answer: C**

15. Examine the declaration section:

```
DECLARE
  CURSOR emp_cursor(p_deptno NUMBER, p_job VARCHAR2)
```

IS

```
SELECT empno, ename
FROM emp
WHERE deptno = p_deptno
      AND job = p_job;
```

BEGIN

...

Which statement opens this cursor successfully?

- A. OPEN emp\_cursor;
- B. OPEN emp\_cursor('Clerk', 10);
- C. OPEN emp\_cursor(10,'Analyst');
- D. OPEN emp\_cursor(p\_deptno, p\_job);

**Answer: C**

16. Your company wants to give each employee a \$100 salary increment. You need to evaluate the results from the EMP table prior to the actual modification. If you do not want to store the results in the database, which statement is valid?

- A. You need to add a column to the EMP table.
- B. You need to give the arithmetic expression that involves the salary increment in the SET clause of the UPDATE statement.
- C. You need to give the arithmetic expression that involves the salary increment in the SELECT clause of the SELECT statement.
- D. You need to give the arithmetic expression that involves the salary increment in the UPDATE clause of the SELECT statement.
- E. You need to give the arithmetic expression that involves the salary increment in the DISPLAY clause of the SELECT statement.

**Answer: C**

17. You need to execute a script file named QUERYEMP.SQL from your SQL\*Plus environment. Which command do you use?

- A. RUN QUERYEMP
- B. GET QUERYEMP
- C. START QUERYEMP
- D. EXECUTE QUERYEMP

**Answer: C**

18. The PRODUCT table contains these columns:

ID	NUMBER(9)	PK
----	-----------	----

```
COST    NUMBER(7,2)
SALE_PRICE          NUMBER(7,2)
```

Management has asked you to calculate the net revenue per unit for each product if the cost of each product is increased by 10% and the sale price of each product is increased by 25%.

You issue this SQL statement:

```
SELECT          id, sale_price * 1.25 - cost * 1.10
FROM product;
```

Which conclusion can you draw from the results?

- A. Only the required results are displayed.
- B. The results provide more information than management requested.
- C. A function needs to be included in the SELECT statement to achieve the desired results.
- D. The order of the operations in the calculation needs to be changed to achieve the required results.

**Answer: A**

19. You want to display the average salary for departments 20 and 50, but only if those departments have an average salary of at least 2000. Which statement will produce the required results?

A. SELECT deptno, AVG(sal)

```
FROM emp
WHERE deptno IN (20, 50)
GROUP BY deptno
HAVING AVG(sal) >= 2000;
```

B. SELECT deptno, AVG(sal)

```
FROM emp
GROUP BY deptno
HAVING AVG(sal) >= 2000
```

```
AND deptno IN (20, 50);
```

C. SELECT deptno, AVG(sal)

```
FROM emp
WHERE deptno IN (20, 50)
AND AVG(sal) >= 2000
GROUP BY deptno;
```

D. SELECT deptno, AVG(sal)

```
FROM emp
WHERE deptno IN (20, 50)
GROUP BY AVG(sal)
HAVING AVG(sal) >= 2000;
```

**Answer: A**

20. Click on the EXHIBIT button and examine the table instance chart for the cars table.

You query the database with this command:

```
SELECT lot_no "Lot Number", COUNT(*) "Number of Cars Available"  
FROM cars  
WHERE model = 'Fire'  
GROUP BY lot_no  
HAVING COUNT(*) > 10  
ORDER BY COUNT(*);
```

Which clause restricts which groups are displayed?

Cars					
Column Name	ID	MODEL	STYLE	COLOR	LOT_NO
Key Type	PK				FK
Nulls/Unique	NN, U	NN	NN	NN	NN
FK Table					LOT
FK Column					LOT_NO
Datatype	NUM	CHAR	CHAR	CHAR	NUM
Length	9	25	25	25	3

- A. SELECT lot\_no "Lot Number", COUNT(\*) "Number of Cars Available"
- B. WHERE model = 'Fire'
- C. HAVING COUNT(\*) > 10
- D. GROUP BY lot\_no
- E. ORDER BY COUNT(\*)

**Answer: C**

Examsoon.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially [Adobe](#), [Apple](#), [Citrix](#), [Comptia](#), [EMC](#), [HP](#), [Juniper](#), [LPI](#), [Nortel](#), [Oracle](#), [SUN](#), [Vmware](#) and so on. And help you pass any IT Certification exams at the first try.

we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

You can reach us at any of the email addresses listed below.

E-MAIL: [examsoon\(at\)hotmail.Com](mailto:examsoon(at)hotmail.Com)