

Exam : Oracle 1Z0-235

Title : Aix 5l Problem Detemination

Version : Demo

Important Note, Please Read Carefully

Other examsoon products

[All examsoon IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[examsoon Testing Engine](#)

Guarantee

Examsoon provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!.

Features

1. Comprehensive questions with complete details
2. Instant Downloadable in PDF form.
3. Verified Answers Researched by Industry Experts
4. Questions accompanied by exhibits
5. Drag and Drop questions as experienced in the Actual Exams.
6. These questions and answers are backed by our GUARANTEE.
7. Questions updated on regular basis.
8. Like actual certification exams our product is in multiple-choice questions (MCQs).

1. You receive the following error while connecting to an Oracle9i database instance:

ORA-12523 TNS:listener could not find instance appropriate for the client connection

Which action would be appropriate in the context of investigating the cause of error?

- A. checking the listener.ora file to verify that the protocol specified in ADDRESS is supported by the database server
- B. checking the sqlnet.ora file to verify that the NAMES.DIRECTORY_PATH=(TNSNAMES,HOSTNAME)parameter is set
- C. executing the lsnrctl services command to verify that the instances are registered with the listener, and have the READY status.
- D. checking the tnsnames.ora file to verify that the net service name specified in your connect string is mapped to a connect descriptor

Answer: C

2. You are using rollback segments in your database. To ease transaction management, you want to implement automatic undo management by using the following steps:

- 1. creating an undo tablespace
- 2. setting the UNDO_MANAGEMENT parameter to AUTO in the parameter file
- 3. changing the tablespace that has the rollback segments to an undo tablespace by using the ALTER TABLESPACE command
- 4. setting the UNDO_TABLESPACE parameter to the tablespace that has the rollback segments
- 5. dropping the rollback segments and create undo segments in the same tablespace that has the rollback segments

Which option would you use?

- A. 3 only
- B. 1 and 2 only
- C. 2 and 3 only
- D. 3 and 5 only
- E. 2 and 5 only

Answer: B

3. You specified extent management as local for a tablespace. How will this affect space management in the tablespace?

- A. Bitmap will be used to record free and allocated extents.
- B. Free extents will be managed by the data dictionary tables.
- C. The tablespace can have extents containing blocks of different sizes.
- D. The tablespace will be system managed and the users cannot specify the extent size.

Answer: A

4. Which statement regarding the KEEP buffer pool is true assuming that it is sized correctly?
- A. The buffer pool can be used for data blocks of standard size only.
 - B. The buffer pool can be used for data blocks of both standard and nonstandard sizes.
 - C. The buffer pool eliminates data blocks from memory when they are no longer needed.
 - D. The buffer pool holds data blocks from schema objects that are not assigned to any buffer pool.

Answer: A

5. Which two statements are true regarding object privileges? (Choose two.)
- A. The privileges cannot be granted to a user in the form of a role.
 - B. The object owner can grant the privileges to any other user in the database.
 - C. Any user that has the GRANT ANY OBJECT PRIVILEGE can grant the privileges on behalf of the object owner.
 - D. The grantee of the privileges with WITH GRANT OPTION can revoke the same privileges from any other user irrespective of its grantor.

Answer: BC

6. Which two statements are true regarding the temporary tablespace? (Choose two.)
- A. Used for sort operations
 - B. Can contain permanent objects
 - C. Cannot be shared by multiple users
 - D. Cannot be created with nonstandard block size specification

Answer: AD

7. You want to reuse all the existing data files, control files, and redo log files to re-create your test database. You execute the following command to create the database:

```
CREATE DATABASE testdb
  DATAFILE
    '/u01/oradata/testdb/system01.dbf'
  SIZE 100M REUSE
  LOGFILE
    GROUP 1 ('/u01/oradata/testdb/log1a.rdo',
            '/u02/oradata/testdb/log1b.rdo')
    SIZE 50K REUSE,
    GROUP 2 ('/u01/oradata/testdb/log2a.rdo',
            '/u02/oradata/testdb/log2b.rdo')
    SIZE 50K REUSE
  MAXLOGFILES 5
  MAXLOGHISTORY 100
```

MAXDATAFILES 10;

The command fails to create the database successfully. What could be the reason?

- A. You have set MAXLOGFILES to a very low value.
- B. You cannot reuse the online redo log files.
- C. You have omitted the CONTROLFILE REUSE clause.
- D. You cannot reuse the data file belonging to the SYSTEM tablespace.


Answer: C

8. Which three statements are correct regarding the listener process? (Choose three.)

- A. A listener can be configured to listen for multiple protocols.
- B. Multiple listeners cannot listen on behalf of a single database.
- C. The name of the listener should be unique per listener.ora file.
- D. A listener can listen for a single database only and not multiple databases.
- E. The listener transfers the connection request to a dispatcher in a Shared Server configuration.
- F. The listener transfers the connection request to the Connection Manager in a Dedicated Server configuration.

Answer: ACE

9. View the Exhibit.



```
sqlnet.ora - Notepad
File Edit Search Help
# SQLNET.ORA Network Configuration File:
E:\ora9i\NETWORK\ADMIN\sqlnet.ora
# Generated by Oracle configuration tools.
NAMES.DEFAULT_DOMAIN = idc.oracle.com
SQLNET.AUTHENTICATION_SERVICES= (NTS)
NAMES.DIRECTORY_PATH= (TNSNAMES, HOSTNAME)
```

Examine the value set for the NAMES.DIRECTORY_PATH parameter in the sqlnet.ora file. You are working in a TCP/IP network environment. What will happen when you try to connect to the database from a remote client?

- A. The local naming method will be used first to resolve a connect identifier.
- B. It will result in an error because two values cannot be specified for the NAMES.DIRECTORY_PATH parameter.
- C. If the local naming method is unable to resolve the connect identifier, then Oracle Names server will be used to resolve the connect identifier.
- D. If the host naming method is unable to resolve the connect identifier, then the net service name stored in a centralized LDAP-compliant directory server is used to resolve the connect identifier.

Answer: A

10. You are working in a dedicated server environment. You require the PMON process to register with a local listener, lsnr1, which does not use TCP/IP, port 1521. The protocol address of lsnr1 is available in the listener.ora file. What would you do?

- A. configure the LOCAL_LISTENER parameter in the initialization parameter file
- B. configure the SID_LIST_LISTENER parameter in the listener.ora file
- C. execute the lsnrctl set command with the appropriate parameter to set the correct instance names
- D. no explicit action required because the protocol address of the listener is available in the listener.ora file

Answer: A

11. You executed the following command to grant the CONNECT role to the USER01 user:

```
SQL> GRANT connect to USER01  
        WITH ADMIN OPTION;
```

Which statement is true?

- A. The user can grant the role to any database user but cannot revoke it.
- B. The user can grant or revoke the role to or from any database user.
- C. The user can revoke the role from any database user but cannot grant it.
- D. The statement fails because the CONNECT role cannot be granted with WITH ADMIN OPTION.
- E. The user can grant or revoke the role to or from any database user except the SYS and SYSTEM users.

Answer: B

12. Which Oracle data type should you use to store data in a database that uses multiple languages to store data?

- A. LONG
- B. CHAR
- C. VARCHAR
- D. VARCHAR2
- E. NVARCHAR2

Answer: E

13. You executed the following command to create an index on CUSTOMER_ID and ITEMS_ID columns in the ORDERS table:

```
SQL> CREATE INDEX orders_prim_indx  
        ON orders (customer_id, items_id);
```

In which two conditions would a query use this index? (Choose two.)

- A. when both the columns are used in the WHERE clause of the query
- B. when both the columns are used in the SELECT clause of the query

- C. when the CUSTOMER_ID column is used in the WHERE clause of the query
- D. when the ITEMS_ID column is used with a single row function in the WHERE clause of the query

Answer: AC

14. When is the control file opened?

- A. after the data files are opened
- B. after the parameter file is opened
- C. after the redo log files are opened
- D. after the parameter file, data files, and redo log files are opened
- E. before the parameter file, data files, and redo log files are opened

Answer: B

15. Querying which two dynamic performance views would retrieve information from the control file?

(Choose two.)

- A. V\$SGA
- B. V\$TEMPFILE
- C. V\$INSTANCE
- D. V\$DATABASE
- E. V\$PARAMETER

Answer: BD

16. You work for a company having two databases, one located in India and another in New York. You want to use Enterprise Manager to administer, diagnose, and tune these two databases. Which component would you configure to run on each of the nodes where database servers run to achieve this task?

- A. Intelligent Agent
- B. INTYPE file assistant
- C. Management Repository
- D. Oracle Management Server

Answer: A

17. Which three functions are provided by undo segments? (Choose three.)

- A. to avoid dead locks
- B. to maintain read consistency
- C. to roll back an erroneous transaction
- D. to record the old values of a transaction
- E. to record both old and new values of a transaction

Answer: BCD

18. Which view would you query to identify the space utilization settings for tables owned by the APPS user?

- A. DBA_OBJECTS
- B. DBA_EXTENTS
- C. DBA_SEGMENTS
- D. DBA_OBJECT_TABLES

Answer: C

19. Consider the following facts about your database:

- The database operates in NOARCHIVELOG mode.
- The database has three redo log groups.
- All the groups have one member each.
- Redo log group 3 is the CURRENT group.

You executed the following command:

```
SQL> ALTER DATABASE DROP LOGFILE MEMBER  
2 'D:\ORACLE\ORADATA\MYDB\REDO03.LOG';
```

The command fails to drop the member. What is the reason displayed for the failure of the command?

- A. You cannot drop the last member in a group.
- B. You cannot drop a member until checkpoint completes.
- C. You cannot drop a member when the database is open.
- D. You cannot drop a member from a group as the database is in NOARCHIVELOG mode.

Answer: A

20. A session in the database should not have access to the uncommitted changes made by other sessions.

How does the Oracle server ensure this?

- A. by using the redo log buffer
- B. by using the undo segment
- C. by using the temporary tables
- D. by using the online redo log files
- E. by using the temporary segment

Answer: B

Examsoon.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially [Adobe](#), [Apple](#), [Citrix](#), [Comptia](#), [EMC](#), [HP](#), [Juniper](#), [LPI](#), [Nortel](#), [Oracle](#), [SUN](#), [Vmware](#) and so on. And help you pass any IT Certification exams at the first try.

we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

You can reach us at any of the email addresses listed below.

E-MAIL: [examsoon\(at\)hotmail.Com](mailto:examsoon(at)hotmail.Com)