

Exam : EMC E20-455

**Title : Content Management Web
Application Programming
Exam**

Version : Demo

Important Note, Please Read Carefully

Other examsoon products

[All examsoon IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[examsoon Testing Engine](#)

Guarantee

Examsoon provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!.

Features

1. Comprehensive questions with complete details
2. Instant Downloadable in PDF form.
3. Verified Answers Researched by Industry Experts
4. Questions accompanied by exhibits
5. Drag and Drop questions as experienced in the Actual Exams.
6. These questions and answers are backed by our GUARANTEE.
7. Questions updated on regular basis.
8. Like actual certification exams our product is in multiple-choice questions (MCQs).

1. Your employer asks you to rename the custom folder for your WDK application to "datasink."

Which XML entry represents the correct means of changing the custom folder's name?

A. <custom>

```
<application>
  <application-name>AppFolderName</param-name>
  <application-value>datasink</param-value>
</application>
```

...

B. <config>

```
<app-param>
  <param-name>AppFolderName</param-name>
  <param-value extends="webtop/custom">datasink</param-value>
</app-param>
```

...

C. <web-inf>

```
<context-param>
  <param-name>AppFolderName</param-name>
  <param-value inherits="webtop/custom">datasink</param-value>
</context-param>
```

...

D. <web-app>

```
<context-param>
  <param-name>AppFolderName</param-name>
  <param-value>datasink</param-value>
</context-param>
```

...

Answer: D

2. The highest level application layer of a WDK application is defined in which file?

A. app.xml

- B. conf.xml
- C. wdk.xml
- D. web.xml

Answer: D

3. Which statement is true about the inheritance of elements between application layers?

- A. Elements are inherited from lower layers if they are not overridden in the higher layers.
- B. Elements are inherited from lower layers only if they are overridden in the higher layers.
- C. Elements are inherited from all application layers regardless of application layer hierarchy.
- D. Elements are only inherited from application layers that are at the same level in the application layer hierarchy.

Answer: A

4. Which directories are representative of application layers in a default Webtop installation?

- A. WEB-INF and webtop
- B. WEB-INF and wdk
- C. custom and webtop
- D. custom and help

Answer: C

5. If you want a new application layer in between the custom and webtop layers, then which file should you extend?

- A. \custom\app.xml
- B. \webtop\app.xml
- C. \WEB-INF\web.xml
- D. \webtop\main_component.xml

Answer: B

6. How do you automatically include a custom JavaScript file to be in all of your JSPs?

- A. by adding a reference to the component configuration file

- B. by specifying it as an application parameter in the app.xml
- C. by appending a reference to the Javascript file WebformScripts.properties
- D. by using the `<@ page import="custom/myUtils.js">` directive

Answer: C

7. Where are the WDK servlets defined?

- A. app.xml
- B. wdk.xml
- C. web.xml
- D. server.xml

Answer: C

8. For what can a qualifier be used?

- A. to filter valid data to be displayed
- B. to check permissions during authentication
- C. to scope and filter actions and components
- D. to check data against the data dictionary

Answer: C

9. You have implemented a custom authentication scheme, MyAuthenticationScheme.

To what must you add your scheme to ensure it is active?

- A. in a properties file under the custom directory
- B. in the app.xml under the custom directory
- C. in a properties file under the WEB-INF/classes directory
- D. in the web.xml under the WEB-INF directory

Answer: C

10. You have written a custom authentication scheme and have correctly added the scheme to the system.

You discover a problem in the code, which causes the scheme to always return null.

How does the null return value affect authentication in Webtop?

- A. Any remaining schemes are skipped, and the login dialog is presented immediately.
- B. Any remaining schemes are attempted, where the login dialog is usually the final authentication scheme.
- C. The scheme throws a null pointer exception and prevents other schemes from authenticating.
- D. The scheme automatically logs the user in as the repository administrator.

Answer: B

11. Which authentication scheme enables safe automatic login by passing credentials in the URL?

- A. Docbase Login Authentication Scheme
- B. User Principal Authentication Scheme
- C. Uniform Resource Locator Authentication Scheme
- D. Ticketed Authentication Scheme

Answer: D

12. Which statement is true about Trusted Authentication Scheme (Principal Support)?

- A. It disables authentication through the Content Server.
- B. It allows a superuser account to impersonate any given user.
- C. The application server user name must not match a repository superuser.
- D. A non-superuser account may be used to obtain login tickets.

Answer: B

13. You do not see the Presets option in Webtop. What could be a possible reason?

- A. The Content Server does not have a license for Presets.
- B. The BOF registry entry is incorrect in the dfc.properties file.
- C. You are not a superuser.
- D. You are not a system administrator.

Answer: B

14. Which is true about Presets?

- A. Presets are not used to provide security
- B. Presets descend to subfolders

- C. Presets applied to a folder do not apply to the files imported into the folder
- D. Presets only comprise of a single rule each

Answer: A


15. Which order represents the default Preset precedence?

- A. location, user, role, object type
- B. user, object type, role, location
- C. user, role, object type, location
- D. location, role, user, object type

Answer: A

16. According to the diagram, which component definition will be used for all instances of the type sop_doc?

Assume all four definitions exist in the application.



A. `<config version="1.0">`

```
<scope type="dm_sysobject">  
  <component id="checkin">  
    ...  
  </component>  
</scope>
```

`</config>`

B. `<config version="1.0">`

```
<scope type="corporate_docs">  
  <component id="checkin">  
    ...  
  </component>  
</scope>
```

```
</config>
```

C. <config version="1.0">

```
<scope type="procedure_doc">  
  <component id="checkin">  
    ...  
  </component>  
</scope>
```

```
</config>
```

D. <config version="1.0">

```
<scope type="dm_folder">  
  <component id="checkin">  
    ...  
  </component>  
</scope>
```

```
</config>
```

Answer: B

17. Which statement is true about action and component XML definitions?

- A. Actions and components always require parameters.
- B. Actions and components have layouts/presentations.
- C. Action and component dispatchers use the same qualifiers.
- D. Action and component definitions may contain preconditions.

Answer: C

18. Given the following fragment:

```
<filter role="contributor, not administrator">
```

```
...
```

```
</filter>
```

Which roles will be allowed to use the definition within this filter element?

- A. contributors, coordinators, consumers and administrators
- B. contributors, coordinators, and consumers, but not administrators
- C. contributors, coordinators, but not administrators or consumers
- D. contributors, but not administrators, coordinators or consumers

Answer: C

19. Given the following code: fragment:

```
<scope type="dm_folder">
```

```
  <component id="delete" notdefined="true" />
```

```
</scope>
```

Which statement is true about the notdefined attribute?

- A. The delete component is available for dm_folder types, but not for dm_cabinet types.
- B. The delete component is available for dm_folder and dm_cabinet types, but not for dm_document types.
- C. The delete component is available for dm_document types, but not for dm_folder or dm_cabinet types.
- D. The delete component is available for dm_document, dm_folder and dm_cabinet types.

Answer: C

20. What makes up a component definition file?

- A. pages, parameters, NLS, description
- B. pages, behavior, NLS, controls
- C. pages, behavior, parameters, events
- D. behavior, scope, NLS, actions

Answer: A

Examsoon.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially [Adobe](#), [Apple](#), [Citrix](#), [Comptia](#), [EMC](#), [HP](#), [Juniper](#), [LPI](#), [Nortel](#), [Oracle](#), [SUN](#), [Vmware](#) and so on. And help you pass any IT Certification exams at the first try.

we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

You can reach us at any of the email addresses listed below.

E-MAIL: [examsoon\(at\)hotmail.Com](mailto:examsoon(at)hotmail.Com)