

**Exam : EMC E20-520**

**Title : CALRiiON Solutions  
Specialist Exam**

**Version : Demo**

## Important Note, Please Read Carefully

### Other examsoon products

[All examsoon IT Exam Products](#)

### Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[examsoon Testing Engine](#)

### Guarantee

Examsoon provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!.

### Features

1. Comprehensive questions with complete details
2. Instant Downloadable in PDF form.
3. Verified Answers Researched by Industry Experts
4. Questions accompanied by exhibits
5. Drag and Drop questions as experienced in the Actual Exams.
6. These questions and answers are backed by our GUARANTEE.
7. Questions updated on regular basis.
8. Like actual certification exams our product is in multiple-choice questions (MCQs).

1. What two [2] functions are disabled when PowerPath is installed without a license key?

- A. Failover
- B. Multipathing
- C. Load balancing
- D. Access to peer SP paths

**Answer: BC**

2. Which SAN Copy menu option is used to monitor the progress of a copy session?

- A. Status
- B. Resume
- C. Properties
- D. Ownership

**Answer: A**

3. What are three [3] attributes of a Clone Private LUN?

- A. Contains Fracture Logs.
- B. Contains Write Intent Logs
- C. Must be 128MB, or greater, in size.
- D. Is assigned to one storage processor.
- E. Shared by both storage processors simultaneously.

**Answer: ACD**

4. What are three [3] best practices for configuring LUNs on a Solaris host?

- A. Zone only one SP per HBA.
- B. Use storage array based RAID.
- C. Leave element size as CLARiiON default.
- D. Use only DMP in single HBA environments.
- E. Base RAID type on access pattern and application.

**Answer: BCE**

5. In what way does the CX Series improve upon the FC Series arrays?

- A. Introduction of 2Gb front-end ports
- B. Can hold more disk drives in less space
- C. Native Support for Single Mode Fibre Cable
- D. Employs switched back-end for increased bandwidth

**Answer: B**

6. What are two [2] characteristics of DMP and PowerPath?

- A. PowerPath must be deactivated using vxdiskadm.
- B. Suppression of DMP is a menu item within vxdiskadm.
- C. DMP needs special code to map CLARiiON's passive path.
- D. DMP and PowerPath must be running together on the same host.

**Answer: BC**

7. Which two [2] CLARiiON arrays do not support the installation of SAN Copy?

- A. CX200
- B. CX300
- C. CX400
- D. CX500
- E. CX600
- F. FC4700

**Answer: AB**

8. When entering a Navisphere CLI command, which variable specifies the CX-Series Storage Processor that will accept the command?

- A. -h [hostname]
- B. -d [devicepath]
- C. -sp [storage processor]
- D. -ip [ip address of storage processor]

**Answer: A**

9. How would you find the Navisphere Analyzer options in the Navisphere Manager GUI?

- A. Click File, then Options, then Analyzer.
- B. Expand the desired array and then expand the Analyzer tab.
- C. Right click the desired array and then select Analyzer from the menu.
- D. Enter Engineering Mode, then select Analyzer from the Engineering Mode menu.

**Answer: C**

10. How is the MirrorView Fracture Log configured?

- A. Bind at least one unused LUN
- B. Make sure LUNs are at least 128MB
- C. The Fracture Log is automatically configured
- D. Allocate SP Memory in the Memory tab of the Primary Storage System

**Answer: C**

11. Which phrase describes Access Logix?

- A. Host masking via switch zoning
- B. LUN masking via switch zoning.
- C. LUN masking via storage groups
- D. Enabling host access to FC switch

**Answer: C**

12. What three [3] ways can a SnapView Clone be used?

- A. Offload source LUN during a backup process.
- B. Restoration of data when source LUN is corrupted.
- C. Creating Clones of Snapshot LUN for report generation.
- D. Performance tuning by moving data to a LUN on another RAID Group.
- E. Allow multiple hosts to have read/write access to same data on the source LUN

**Answer: ABD**

13. What is the communication link between the VisualSRM console and a managed node?

- A. FCIP
- B. HTTP
- C. ODBC
- D. TCP/IP

**Answer: D**

14. What are three [3] types of MirrorView topologies?

- A. SAN Connect
- B. iSCSI Connect
- C. Direct Connect
- D. WAN Connect (MirrorView over IP)

**Answer: ACD**

15. Which three [3] options can be configured in the Create RAID Group dialogue box?

- A. RAID Type
- B. RAID Group ID
- C. Expansion Rate
- D. Enable Write Cache
- E. Manual Disk Selection

**Answer: BCE**

16. Where is the user notification information for Event Monitor stored?

- A. agent.cfg
- B. event.cfg
- C. navimon.cfg
- D. agent.config

**Answer: C**

17. The LUN alignment offset feature on the CLARiiON and the diskpar.exe in Windows are both useful for

correctly partitioning Windows drives to accommodate the MBR. When would you not use the LUN alignment offset feature on the CLARiiON, and would use diskpar.exe instead?

- A. When formatting the Windows drive as NTFS, since the MBR is not a factor on NTFS drives.
- B. When using layered CLARiiON applications as they operate on the Raw LUN and as such would incur disk crossings.
- C. When directly attaching a Windows host to the CLARiiON, as the LUN alignment offset is only available in AccessLogix.
- D. When LUNs are configured on a RAID 1/0 group. The mirrored drive doesn't accommodate LUN Alignment Offset and requires diskpar.exe.

**Answer: B**

18. Where are the WWPN's of SPA's ports located in Navisphere Manager?

- A. Storage Tab, SP A, Port Item
- B. Storage Tab, right-click SP A, Properties, Port Name Tab
- C. Storage Tab, Physical Tree, Enclosure SPE Tree, SPs Tree, SP A, Port Item
- D. Storage Tab, Physical Tree, Enclosure DPE Tree, SPs Tree, SP A, Port Item

**Answer: D**

19. What must occur before the write operation is acknowledged to the host in normal MirrorView operation?

- A. Link status must be checked
- B. Fracture Log must be updated
- C. Write is acknowledged on secondary array
- D. Write Intent Log must be enabled for the Primary LUN

**Answer: C**

20. Before Snapshots can be created, one or more LUNs must be configured in which way?

- A. added to the private LUN storage group
- B. as a snapshot cache pool shared by both SPs
- C. for each SP which manages snapshot sessions

D. added to the same storage group as the source LUN

**Answer: C**

21. Which task(s) can a VisualSRM "reporting" user perform?

- A. View exported reports
- B. Manually run and export reports
- C. Create and view custom reports
- D. Manually run and schedule reports

**Answer: A**

22. Where must read cache be enabled for optimal host I/O?

- A. In FLARE and on both Storage Processors
- B. On the LUN and on both Storage Processors
- C. On the LUN and on the CLARiiON vault drives
- D. In FLARE and on the Storage Processor that owns the LUN

**Answer: B**

23. Which CLARiiON can have the most concurrent SAN Copy sessions activated?

- A. CX300
- B. CX400
- C. CX500
- D. CX700

**Answer: D**

24. On which two [2] devices can Navisphere Management Server be installed?

- A. A CX400 Array
- B. An FC4500 Array
- C. A Solaris Workstation
- D. A Windows Workstation

**Answer: AD**

25. What three [3] activities does Navisphere Analyzer perform?

- A. Examine past data
- B. Examine real-time data
- C. Examine data on HDS arrays
- D. Find bottlenecks and hotspots
- E. Create future projection charts

**Answer:** ABD

26. Which EMC product helps identify when storage capacity on a host will run out?

- A. VisualSAN
- B. VisualSRM
- C. Navisphere Manager
- D. Navisphere Analyzer

**Answer:** B

27. Which statement describes The Copy-on-First-Write mechanism in SnapView?

- A. Utilized on SnapView Clone, enhances performance
- B. Utilized on SnapView Clone, decreases performance
- C. Utilized on SnapView Cache LUN, decreases performance
- D. Utilized on SnapView Cache LUN, it enhances performance

**Answer:** C

28. What is the SAN Copy "Session Throttle" parameter used for?

- A. Enabling or disabling the rate of I/O transfers.
- B. Controlling the I/O rate for an active SAN Copy session.
- C. Setting the maximum blocksize of the SAN Copy transfers.
- D. Balancing the SAN Copy session between storage processors.

**Answer:** B

29. A Windows host is connected to a CX500 array through a SAN. One HBA is zoned to SP A port 0 and SP B port 1. The other HBA is zoned to SP B port 0 and SP A port 1. How many entries for this host should appear in the Connectivity Status window in Navisphere Manager?

- A. 1
- B. 2
- C. 4
- D. 8

**Answer: C**

30. What are three [3] characteristics of Event Monitor?

- A. Integrated with Navisphere manager
- B. Monitors for user-configurable events
- C. Loaded as a separately purchased NDU
- D. Event Monitor is part of Navisphere Agent
- E. Monitors only for Navisphere defined events

**Answer: ABD**

Examsoon.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially [Adobe](#), [Apple](#), [Citrix](#), [Comptia](#), [EMC](#), [HP](#), [Juniper](#), [LPI](#), [Nortel](#), [Oracle](#), [SUN](#), [Vmware](#) and so on. And help you pass any IT Certification exams at the first try.

we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

You can reach us at any of the email addresses listed below.

E-MAIL: [examsoon\(at\)hotmail.Com](mailto:examsoon(at)hotmail.Com)