

Exam : Hitachi HH0-330

**Title : HDS Storage
Manager-Business
Continuity Enterprise**

Version : Demo

Important Note, Please Read Carefully

Other examsoon products

[All examsoon IT Exam Products](#)

Our products of Offline Testing Engine

Use the offline Testing engine product to practice the questions in an exam environment.

Build a foundation of knowledge which will be useful also after passing the exam.

[examsoon Testing Engine](#)

Guarantee

Examsoon provides the most competitive quality of all exams for the customers, we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!.

Features

1. Comprehensive questions with complete details
2. Instant Downloadable in PDF form.
3. Verified Answers Researched by Industry Experts
4. Questions accompanied by exhibits
5. Drag and Drop questions as experienced in the Actual Exams.
6. These questions and answers are backed by our GUARANTEE.
7. Questions updated on regular basis.
8. Like actual certification exams our product is in multiple-choice questions (MCQs).

1. Where do you find the "horcmstart.sh" command in a default CCI installation in a UNIX system?

- A./usr/bin/
- B./usr/sbin
- C./HORCM/
- D./HORCM/usr/bin/

Answer: D

2. A pairresync operation is performed on a ShadowImage pair in a PSUE state.

What is the result of the pairresync operation?

- A.The pairresync completes immediately.
- B.All data on the P-Vol are copied to the S-Vol.
- C.The pairresync returns an error because of the PSUE state.
- D.The bitmaps are used and only changed tracks are copied from the P-Vol to the S-Vol

Answer: B

3. Which two statements describe the Command Device? (Choose two.)

- A.The Command Device is user selected.
- B.The Command Device is system selected.
- C.The Command Device is a dedicated logical volume on the system which controls the CCI software on the UNIX/PC host.
- D.The Command Device is a dedicated logical volume on the system which functions as the interface to the CCI software on the UNIX/PC host.

Answer: AD

4. Which two statements describe the Command Device on UNIX systems? (Choose two.)

- A.The volume designated as the Command Device is a raw device.
- B.The volume designated as the Command Device is a block device.
- C.The Command Device accepts TrueCopy software and ShadowImage software read and write commands that are executed by the CCI software.
- D.The Command Device accepts TrueCopy software and ShadowImage software read and write commands that are executed by the storage system.

Answer: AD

5. Which two statements describe the Command Device? (Choose two.)

- A.The Command Device is for CCI communications and can be fully utilized by other applications.
- B.The Command Device is dedicated to CCI communications and should not be used by any other applications.
- C.The Command Device accepts TrueCopy and ShadowImage software read and write commands that are executed by the storage system.

D. The Command Device accepts TrueCopy and ShadowImage software read and write commands that are executed by the CCI software.

Answer: BC

6. You are looking at the possibility of configuring the Raid Manager software.

Which three devices could be used as a CCI Command Device? (Choose three.)

- A. 3390-3 LUN
- B. LUSE LUN
- C. OPEN-V LUN
- D. OPEN-3 LUN
- E. Virtual LVI/LUN

Answer: CDE

7. The CCI instance has failed to start.

What is the most likely cause?

- A. The Command Device is labeled.
- B. The environment variable HORCC_MRCF is set.
- C. The environment variable HORCMINST is not set.
- D. The IP address is not referenced in the HORCM file.

Answer: D

8. The CCI instance needs to communicate with the storage system using the Command Device.

Which command should be executed to discover the name of the Command Device on a Windows server?

- A. `raidscan -x findcmddev hdisk 0,20`
- B. `raidscan -find commanddev hdisk 0,20`
- C. `raidscan -x find commanddev hdisk 0,20`
- D. `raidscan -find commanddevice hdisk 0,20`

Answer: A

9. On a Windows system, how do you make sure that the environment parameter is set correctly to use CCI for ShadowImage operations instead of TrueCopy operations?

- A. Verify that HORCC_MRCF is set to 1.
- B. Verify that HORCM_MRCF is not set.
- C. Verify that HORCC_MRCF is set to 0.
- D. Verify that HORCM_MRCF is set to 0.

Answer: A

10. On a Windows system, how do you verify that the environment parameter is correctly set to use CCI for TrueCopy operations instead of ShadowImage operations?

- A. Make sure that HORCM_MRCF is set to 1.

B. Make sure that HORCC_MRCF is not set.

C. Make sure that HORCC_MRCF is set to 0.

D. Make sure that HORCM_MRCF is set to 0.

Answer: B

Examsoon.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially [Adobe](#), [Apple](#), [Citrix](#), [Comptia](#), [EMC](#), [HP](#), [Juniper](#), [LPI](#), [Nortel](#), [Oracle](#), [SUN](#), [Vmware](#) and so on. And help you pass any IT Certification exams at the first try.

we guarantee your success at the first attempt with only our Certification Question&Answers, if you do not pass the exam at the first time, we will not only arrange FULL REFUND for you, but also provide you another exam of your claim, ABSOLUTELY FREE!

You can reach us at any of the email addresses listed below.

E-MAIL: [examsoon\(at\)hotmail.Com](mailto:examsoon(at)hotmail.Com)